



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/519,338	09/19/2005	Reto Lurf	MEISS71.022APC	9313

20995 7590 12/09/2008
KNOBBE MARTENS OLSON & BEAR LLP
2040 MAIN STREET
FOURTEENTH FLOOR
IRVINE, CA 92614

EXAMINER

WOLF, MEGAN YARNALL

ART UNIT	PAPER NUMBER
----------	--------------

3738

NOTIFICATION DATE	DELIVERY MODE
-------------------	---------------

12/09/2008

ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

jcarter@kmob.com
eOAPilot@kmob.com

Office Action Summary	Application No. 10/519,338	Applicant(s) LERF, RETO	
	Examiner MEGAN WOLF	Art Unit 3738	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 15 September 2008.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1,2 and 4-44 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1,2 and 4-44 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 9/15/08 has been entered.

Response to Arguments

2. Applicant's arguments filed 8/11/08 have been fully considered. Arguments regarding the rejection of claims 8, 10-12, 15-20, 24, 25, 29, 30, and 32, under 35 U.S.C. 102(b) as being anticipated by Pilliar have been considered but are moot in view of the new ground(s) of rejection. Arguments regarding the rejection of claims 8, 11-14, 22, 23, and 31 under 35 U.S.C. 103(a) as being unpatentable over Shimamune have been considered but are moot in view of the new ground(s) of rejection. Arguments regarding the rejection of claims 37-40 under 35 U.S.C. 103(a) as being unpatentable over Lee have been considered but are moot in view of the new grounds of rejection.

Arguments regarding the rejection of claims 1, 2, 6, 7, and 26-28 as being unpatentable over Pilliar in view of Steinemann are not persuasive. Applicant argues that Steinemann discloses a micro-roughness applied only to a virgin surface. First, the Examiner disagrees and points Applicant to claim 1 of Steinemann which states "A metallic implant to be applied to a human or animal bone, comprising a **porous** metallic

Art Unit: 3738

biocompatible surface, treated with a reducing acid to be provided with micro-roughness..." Clearly this shows that the micro-roughness may be applied to a porous surface of an implant. Second, even if Steinemann was directed to a micro-roughness applied only to a virgin surface, the reference still teaches the well known concept of creating surface roughness on an implant for the purpose of an improved bond between the bone and implant. Regarding the argument that the pits of Steinemann are not open pores as claimed, the Examiner agrees. However, as clearly discussed in Applicant's specification and in previous arguments, the claimed shallow roughening or "pits" are distinct from the open pores of Applicant's invention. It appears that Applicant is trying to equate the two in the arguments by arguing that Pilliar stresses that the pores be greater than 50 microns while Steinemann teaches that the roughness should be less than 20 microns. However, the two features are distinct throughout Applicant's specification and claims, and are distinct in Pilliar and Steinemann. Applying the pits of Steinemann to the open-pored implant surface of Pilliar teaches the invention precisely as claimed. Steinemann is directed to applying surface roughness on a known porous implant and teaches that the pits, not the pores, should be less than 20 microns, specifically about 2 microns. Pilliar discloses the specifics of the open-pored surface. Therefore, Pilliar and Steinemann do not teach away from each other.

Applicant's arguments regarding the rejection of claims 33-36 as being unpatentable over Rowe in view of Steinemann have been considered but are not persuasive. As similarly discussed above, Applicant argues that the pits of Steinemann teach away from the pores of Rowe. This comparison is not appropriate as the pits and

Art Unit: 3738

pores claimed by Applicant are distinct features. The claimed open-pores are on a greater scale than the claimed micro-structure or pits. Rowe teaches the open-pored implant surface and Steinemann teaches producing a surface micro-structure on the porous implant surface. The surface roughness taught by Steinemann is not directed to allowing ingrowth of tissue, but rather to improving the contact between the bone and implant. The open pores of Rowe ranging in size from 100-500 microns are analogous with the claimed open pores. It is appropriate to combine the surface roughness taught by Steinemann on the porous implant surface of Rowe as this is the claimed invention.

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. Claims 1, 2, 6-8, 10-12, 15-20, 22, 26-31, 37, 40-42, and 44 are rejected under 35 U.S.C. 103(a) as being unpatentable over Pilliar 3,855,638 in view of Steinemann et al. 5,456,723.

Re claims 1, 2, and 37, Pilliar teaches the invention substantially as claimed including an open-pored surface layer comprising biocompatible metal with particles having a particles size in a range of approximately 50-800 microns (col.4, l.39) with a thickness in a range from 0.1mm to 2.5mm inclusive (col.4, ll.21-33) and the porosity of the open-pored surface layer in a range from 20% to 80% (col.11, ll.1-2). However,

Art Unit: 3738

Pilliar does not disclose that the open pored layer further comprises pits as roughening having a diameter in the range of 0.1-2.5 microns.

Steinemann teaches a porous metallic implant, in the same field of endeavor, comprising a porous surface with a surface roughness of $2\mu\text{m}$ or less (col.3, ll.1-5 and 23-25; clm.1), for the purpose of improving the interface between bone and implant such that bone readily grows into the implant and the bond between the implant and bone is capable of resisting all of the mechanical forces it will be exposed to during it's use (col.2, ll.45-50).

Therefore it would have been obvious to one of ordinary skill in the art at the time of the invention to modify the porous surface disclosed by Pilliar in view of the sub-micrometer surface roughness taught by Steinemann in order to improve adhesion of the mating bone with the implant along the contact surface and to quickly form a strong and durable bond as taught by Steinemann, col.3, ll.20-23. Note that the process by which the product is produced is not germane to the issue of patentability in an apparatus claim.

Re claims 6 and 40, see Pilliar col.2, ll.65-67 and Steinemann claim 5.

Re claim 7, see Pilliar col.8, ll.33-36.

Re claim 8, Pilliar discloses the invention substantially as claimed including a method of producing an implant comprising applying at least one layer of a biocompatible metal or an alloy thereof to a surface of the implant, to produce an implant surface comprising an open-pored structure with a porosity in a range of

Art Unit: 3738

between about 20% and 85% (col.8, ll.9-38; col.11, ll.1-2). However, Pilliar does not disclose producing a surface micro-structure on the open-pored structure.

Steinemann teaches a method of making a porous metallic implant, in the same field of endeavor, comprising producing a surface micro-structure on a porous structure (col.3, ll.1-5 and 23-25; clm.1), for the purpose of improving the interface between bone and implant such that bone readily grows into the implant and the bond between the implant and bone is capable of resisting all of the mechanical forces it will be exposed to during its use (col.2, ll.45-50).

It would have been obvious to one of ordinary skill in the art at the time of the invention to produce a micro-structure on the porous surface disclosed by Pilliar as taught by Steinemann in order to improve adhesion of the mating bone with the implant along the contact surface and to quickly form a strong and durable bond.

Re claims 10 and 11, see Pilliar col.8, ll.57-60.

Re claim 12, see Pilliar col.7, ll.29-32.

Re claim 15, see Pilliar col.7, ll.37-40.

Re claim 16, see Pilliar col.7, ll.49-51.

Re claim 17, see Pilliar col.4, ll.38-40.

Re claim 18, see Pilliar col.4, ll.21-33.

Re claim 19, see Pilliar col.7, l.47.

Re claim 20, see Pilliar col.2, ll.65-67.

Re claims 22 and 31, see Steinemann clm.1.

Re claims 26-28, see Pilliar col.5, ll.38-40 for the intended use of the device

Art Unit: 3738

Re claims 29 and 30, see Pilliar col.8, ll.9-38.

Re claims 41, 42, and 44, Pilliar in view of Steinemann discloses the invention substantially as claimed, but does not specifically disclose that the average diameter of the pores is 300 microns. However, it has been held that where the general conditions of a claim are disclosed in the prior art, discovering the optimum or workable ranges involves only routine skill in the art (In re Aller, 220 F.2d 454, 456, 105 USPQ 233, 235 (CCPA 1955), MPEP 2144.05 II A). Because Pilliar discloses that the pores may be about 200 microns in diameter, it would have been obvious to try varying the pore size to achieve the optimal bone ingrowth to arrive at a specific average pore size.

5. Claims 8, 11-14, 17, 18, 20, 22, 26-31, and 42 are rejected under 35 U.S.C. 103(a) as being unpatentable over Shimamune 5,034,186 in view of Steinemann et al. 5,456,723.

Re claim 8, Shimamune teaches a method of producing an implant comprising applying at least one layer of a biocompatible metal or an alloy thereof to a surface of the implant to produce an implant surface (col.1, l.59-col.2, l.2, and col.4, ll.55-57) comprising an open pored structure with a porosity in a range between about 20% and 85% (col.2, ll.64-66). However, Shimamune does not disclose the step of producing a surface micro-structure on the open-pored structure.

Steinemann teaches a method of making a porous metallic implant, in the same field of endeavor, comprising producing a surface micro-structure on a porous structure (col.3, ll.1-5 and 23-25; clm.1), for the purpose of improving the interface between bone and implant such that bone readily grows into the implant and the bond between the

Art Unit: 3738

implant and bone is capable of resisting all of the mechanical forces it will be exposed to during its use (col.2, ll.45-50).

It would have been obvious to one of ordinary skill in the art at the time of the invention to produce a micro-structure on the porous surface disclosed by Shimamune as taught by Steinemann in order to improve adhesion of the mating bone with the implant along the contact surface and to quickly form a strong and durable bond.

Re claim 11, Shimamune further teaches a method wherein the at least one layer applied to the virgin surface of the implant is sintered (col.3, l.9).

Re claim 12, Shimamune further teaches a method wherein materials are selected from the group consisting of binders, and sintering adjuvants (col.2, l.67).

Re claim 13, Shimamune further teaches a method wherein as sintering adjuvant there is used a sintering adjuvant metal (col.2, ll.27-28) which, together with the biocompatible metal or alloy thereof, forms a low-melting eutectic (col.2, ll.28-44).

Re claim 14, Shimamune further teaches a method wherein sintering is carried out in vacuo (col.1, ll.66-68).

Re claims 17 and 20, see Shimamune col.2, ll.54-58.

Re claim 18, see Shimamune col.4, ll.29-31.

Re claims 22 and 31, see Steinemann clm.1.

Re claims 26-28, see Shimamune col.4, l.57.

Re claims 29, 30, and 42, see col.2, ll.64-66.

6. Claims 8, 9, 33-35, and 43 are rejected under 35 U.S.C. 103(a) as being unpatentable over Rowe et al. 4,542,539 in view of Steinemann et al. 5,456,723. Rowe

Art Unit: 3738

discloses the invention substantially as claimed including applying at least one layer of a biocompatible metal or an alloy thereof comprising particles having a particle size in a range of about 50-800 microns (col.7, ll.65-66) to a virgin surface of an implant to produce an open-pored implant surface (figs. 1-4) wherein the open-pored implant surface is produced by a plasma spraying method (col.5, ll.45-48) such that an open-pored structure is generally maintained (figs.1-3) and the average pore diameter is 300 microns (col.5, ll.38-40). However, Rowe does not specifically disclose the step of producing a micro-structure on the open-pored implant surface.

Steinemann teaches a method of making a porous metallic implant, in the same field of endeavor, comprising producing a surface micro-structure on a porous structure (col.3, ll.1-5 and 23-25; clm.1), for the purpose of improving the interface between bone and implant such that bone readily grows into the implant and the bond between the implant and bone is capable of resisting all of the mechanical forces it will be exposed to during it's use (col.2, ll.45-50).

It would have been obvious to one of ordinary skill in the art at the time of the invention to produce a micro-structure on the porous surface disclosed by Rowe as taught by Steinemann in order to improve adhesion of the mating bone with the implant along the contact surface and to quickly form a strong and durable bond.

7. Claim 21 is rejected under 35 U.S.C. 103(a) as being unpatentable over Pilliar 3,855,638 in view of Steinemann et al. 5,456,723, as applied to claim 8 above, and further in view of Pilliar 4,206,516. Pilliar '638 in view of Steinemann teaches the

Art Unit: 3738

invention substantially as claimed but does not teach a method wherein the biocompatible metal is used in the form of a metal hydride powder.

Pilliar '516 teaches a method of making a coating, in the same field of endeavor, wherein the biocompatible metal is used in the form of a metal hydride powder (col.2, ll.46-49), for the purpose of providing a thermally decomposable compound (col.2, ll.50-51).

Therefore it would have been obvious to one of ordinary skill in the art at the time of the invention to substitute the biocompatible metal of Pilliar '638 as modified by Steinemann with the metal hydride powder taught by Pilliar '516 in order to provide a thermally decomposable compound.

8. Claim 36 is rejected under 35 U.S.C. 103(a) as being unpatentable over Rowe et al. 4,542,539 in view of Steinemann et al. 5,456,723 as applied to claim 33 above, and further in view of Landry 2004/0030387. Rowe in view of Steinemann discloses the invention substantially as claimed. However, Rowe in view of Steinemann does not disclose that the surface microstructure comprises a biocompatible metal applied as particles having a particle size in a range from 0.01-5 microns.

Landry teaches an implant, in the same field of endeavor, wherein the bone-contacting surface may be roughened for the purpose of promoting osteointegration. Landry further teaches that the surface may be roughened by etching or embedding particles in the surface (pars.15, 91).

It would have been obvious to one of ordinary skill in the art at the time of the invention to substitute the step of embedding particles in the implant surface as taught

Art Unit: 3738

by Landry for the etching step taught by Steinemann as they are taught by Landry to be obvious equivalents of one another for the purpose of providing roughness to an implant surface to promote osteointegration. Note that because Steinemann discloses that the roughness should be about 2 microns, it would have been further obvious to use particles this size to achieve the same resultant roughness.

9. Claims 4, 5, 23-25, 32, 38, and 39, are rejected under 35 U.S.C. 103(a) as being unpatentable over Pilliar 3,855,638 in view of Steinemann et al. 5,456,723, as applied to claims 1, 8, and 37 above, and further in view of Landry 2004/0030387. Pilliar in view of Steinemann discloses the invention substantially as claimed and as discussed above. However, Pilliar in view of Steinemann does not disclose that the surface microstructure is created by application of fine biocompatible particles having a particle size in a range from 0.01-5 microns.

Landry teaches an implant, in the same field of endeavor, wherein the bone-contacting surface may be roughened for the purpose of promoting osteointegration. Landry further teaches that the surface may be roughened by etching or embedding particles in the surface (pars.15, 91).

It would have been obvious to one of ordinary skill in the art at the time of the invention to substitute the step of embedding particles in the implant surface as taught by Landry for the etching step taught by Steinemann as they are taught by Landry to be obvious equivalents of one another for the purpose of providing roughness to an implant surface to promote osteointegration. Note that because Steinemann discloses that the

Art Unit: 3738

roughness should be about 2 microns, it would have been further obvious to use particles this size to achieve the same resultant roughness.

Re claim 24, Pilliar teaches application of fine biocompatible particles applied by a sol-gel method using a binder (col.7, ll.29-32). As Landry teaches that the surface may be roughened by attaching particles to the surface, it would have been obvious to use the sol-gel method of attaching biocompatible particles taught by Pilliar to do so as this is a well known technique.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to MEGAN WOLF whose telephone number is (571)270-3071. The examiner can normally be reached on Monday-Friday 7:00-4:30 EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Corrine McDermott can be reached on (571) 272-4754. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3738

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/M. W./

Examiner, Art Unit 3738

/Bruce E Snow/

Primary Examiner, Art Unit 3738